WHITEFISH



TRANSPORTATION PLAN - 2007

Public Draft January 1, 2008









WHITEFISH



TRANSPORTATION PLAN - 2007







Prepared For:


City of Whitefish Whitefish, Montana

In Cooperation With:

City of Whitefish Montana Department of Transportation Federal Highway Administration

Adopted By:

Whitefish City-County Planning Board, February _____, 2008 Whitefish City Council, March _____, 2008



Prepared By:

Robert Peccia & Associates

825 Custer Avenue P.O. Box 5653 Helena, MT 59604 January 1st, 2008

ACKNOWLEDGEMENTS

The successful completion of this project was made possible through the cooperation and assistance of many individuals. The following people provided guidance and support throughout the course of this study:

PROJECT OVERSIGHT COMMITTEE (POC) MEMBERS

Sheila Ludlow, MDT Statevide and Urban Planning Section Shane Stack, MDT Missoula District John Wilson, City of Whitefish Public Works Department Bob Horne, City of Whitefish Planning Department Karin Hilding, City of Whitefish Engineering Department Bob Burkhardt, Federal Highway Administration Craig Genzlinger, Federal Highway Administration

CITIZEN ADVISORY COMMITTEE (CAC) MEMBERS

Sabine Brigette, Citizen
Shirley Jacobson, Whitefish City Council
Don Spivey, Citizen
Nick Polumbus, Big Mountain Resort
Jerry House, Whitefish School District
Gary Stephens, Whitefish Business Owner/Heart of Whitefish
Bridger Kelch, Whitefish Fire Department
Monte Gilman, Realtor
Dale Duff, Rocky Mountains Transportation
Mary Jo Look, Citizen
Mary Person, Business Owner
George S. Gardner, Citizen

WHITEFISH CITY COUNCIL MEMBERS

Cris Coughlin, Mayor
Nancy Woodruff, Deputy Mayor & Council Member
Velvet Phillips-Sullivan, Council Member
Shirley Jacobson, Council Member
Nick Palmer, Council Member
John Muhlfeld, Council Member
Jan Metzmaker, Council Member

WHITEFISH CITY-COUNTY PLANNING BOARD MEMBERS

Lisa Horowitz Scott Sorensen Martin McGrew, *Chair*

Robert Peccia & Associates Page i

John Quatman
Peggy Sue Amelon
Steve Qunell
Frank Sweeney
Kerry Crittenden
Ole Netteberg, Vice Chair

OTHER IMPORTANT CONTRIBUTORS TO THE WHITEFISH TRANSPORTATION PLAN

Lynn Zanto, MDT Statewide and Urban Planning Section Tom Kahle, MDT Statewide and Urban Planning Section Jean Riley, P.E., MDT Program and Policy Analysis Section

LIST OF PREPARERS

The Traffic & Transportation Division of the consulting firm of Robert Peccia & Associates, Inc., Helena, Montana prepared this study. The following members of our firm were major contributors to this study or helped prepare the document:

Keith Jensen, P.E., President
Jeffrey A. Key, P.E., Project Manager/Senior Traffic Engineer
Dan Norderud, A.I.C.P., Planner
Ryan Mitchell, P.E., P.L.S., Kalispell Office Manager
Brandon Thies, P.E., Kalispell Office Project Engineer
Scott Randall, E.I., Engineering Designer/Planner
Trisha Jensen, Transportation Planning Technician
Gary Lesofski, CADD Division Manager
Kelly P. Quinn, Computer System Manager
Jennifer Loobey, Production & Support Services Manager

Robert Peccia & Associates Page ii

EXECUTIVE SUMMARY

It is the intent of this Transportation Plan to serve as a guide for the future of the Whitefish area transportation system. The Plan describes the existing system, and identifies large and small improvements for the transportation network. The recommendations made in this document cover all modes of transportation, including travel by private vehicle, public transportation, foot and bicycle modes. Recommended projects are intended to relieve existing problems and prepare the Whitefish transportation system to meet future needs.

Transportation issues have been elevated in the past few years. The community has had several important master planning projects in process and/or completed. Because of the focus on community planning, coupled with the heightened awareness of growth and transportation impacts, it was decided that a comprehensive Transportation Plan should be assembled in the community. Although the Transportation Plan can be viewed as a "fresh look" at transportation issues, it also serves to assemble appropriate recommendations from all the previous planning efforts and incorporate them into one succinct document. The community has changed over the years, and growth issues seem to dominate local newspapers and media attention. Managing growth is an important component of the *Whitefish Growth Policy*. Providing amenities that keep people in the community is a quality of life issue.

Another reason that has necessitated the development of the Transportation Plan has to do with the issue of Wisconsin Avenue. The City of Whitefish has been collecting funds for eventual improvements to this roadway for several years under the "Urban Highway System (STPU)" funding program. To date, the City has a balance of \$773,006 and continues to be allocated \$117,074 on an annual basis from the Federal and State. Since this available money will not be enough to fund a full corridor reconstruction project, the intent was for this Transportation Plan to offer incremental improvements along the corridor to satisfy safety and operational needs until which time a major project could be contemplated.

Perhaps the biggest catalyst for undertaking this Transportation Plan effort was the recent completion of the Whitefish <u>Downtown Business District Master Plan</u>. This important planning document "...identifies opportunities to increase the vitality of the downtown business district". This master plan has a transportation component, and outlines the direction the community would like to head for its transportation system within the downtown core. The Plan was prepared around the same time as the Environmental Impact Statement (EIS) Re-Evaluation of the US Highway 93 corridor that was being completed by the consulting firm of WGM Group (Missoula, Montana). This parallel project was assessing the recommendations for traffic flow provided in the early 1990's via the US Highway 93 Somers to Whitefish West Environmental Impact Statement (EIS). This document set forth a direction for transportation improvements for the downtown core. The conclusions reached by WGM Group were that the preferred alternative provided for in the original EIS was no longer suitable based on traffic operations parameters (turning movements, geometry, turning vehicles), as well as based on community preferences and changes over the past decade. This did cause community and State planners to step back and question how best to proceed with public money expenditures. Because of this conclusion, it was decided that due to the heightened relevance of the recent **Downtown** Business District Master Plan, and due to the conclusion that the original preferred alternative from the 1993 EIS may no longer be appropriate, that additional study of the downtown US Highway 93 corridor would be warranted. This was to be in the form of a "Pre-NEPA" corridor study.

Robert Peccia & Associates Page iii

NEPA stands for the National Environmental Protection Act, and is the Federal legislation that guides the development of transportation projects and the subsequent expenditures of Federal money for such projects. Rather than opening up a formal Environmental Impact Statement (EIS) process to examine the downtown core, the Pre-NEPA studies allow greater flexibility in examining options for a roadway system.

To complete the Pre-NEPA corridor study, Robert Peccia & Associates was retained in January of 2007. It was decided that before detailed work on the downtown corridor could commence, though, a parallel project of completing the community-wide Transportation Plan should be entertained. Therefore, this document is the result of that effort, and looks at the greater community and its transportation needs, absent of a detailed look at the downtown core. The downtown Pre-NEPA corridor study is thus contained in a separate, companion document and is referenced as such herein.

The development and implementation of a Transportation Plan is a good tool for managing growth and accommodating development needs. Not only do Transportation Plans provide analysis and mitigation for the existing transportation system currently being utilized, it also provides an opportunity to "look into the crystal ball" to try and predict future growth – where it is likely to happen, when it is likely to happen, and how much of it is likely to occur. More importantly, by predicting this growth the community can be primed to deal with it before infrastructure problems become apparent. This is one of the fundamental goals of developing a Transportation Plan – identifying transportation system needs before it is too late. By doing so, planners and community leaders can begin to plan and program needed infrastructure improvements pertinent to the transportation system.

Through the *Whitefish Growth Policy*, several transportation goals and issues were identified as being important to the community. These were confirmed through the development of this project. The Growth Policy Update did a commendable job at capturing the flavor and issues important to the community's citizens. The identified issues related to "transportation" as identified in the *Whitefish Growth Policy* are contained herein, along with a brief statement offering how and/or if the issue has been addressed via this Transportation Plan:

- Off-street routes called for in the Pedestrian and Bikeway Master Plan are often located along the Whitefish River, cross local streams, or traverse environmentally sensitive areas.
 - This Transportation Plan supports the planned on-street and off-street non-motorized system. This information is documented in both section 2.8 of chapter 2, and also section 8.5 of chapter 8.
- O Parallel collectors along both sides of Hwy. 93 South are not yet complete. This adds to congestion on Hwy. 93 South (Spokane Avenue) during peak hours.
 - This Transportation Plan supports the concept of parallel collectors to US Highway 93. Parallel collector roadways have been modeled using the travel demand model (see **chapter 3**), and projects have been recommended (**MSN-1** and **MSN-3** in **chapter 8**) to support this concept.

Robert Peccia & Associates Page iv

o Mainly because of the Whitefish River, east-west street access is limited.

This Transportation Plan recognizes the lack of east-west connectivity in the community. Several different crossings of the Whitefish river have been modeled using the travel demand model (see **chapter 3**), and projects have been recommended (**MSN-4** and **MSN-10** in **chapter 8**) to support this important need in the community.

O Whitefish High School and Muldown Elementary are located within the eastside residential neighborhood. Therefore, daily traffic generated by the two schools infiltrates surrounding neighborhoods, and is a source of frequent complaints.

This Transportation Plan recognizes the impact that school related traffic has on the surrounding neighborhoods. Issues associated with school related traffic have been identified in chapter 6 of this Transportation Plan. Specific projects have been developed to strengthen the transportation network in this area in hopes of providing choices for private automobile travel. Specific projects in the school area that will help to alleviate these complaints are projects MSN-5, MSN-15, and TSM-2 described later in chapter 8.

O Big Mountain Road provides the only general access for the Whitefish Mountain Resort as well as the many residential subdivisions on Big Mountain.

This Transportation Plan supports the conclusions portrayed in the <u>Big Mountain Neighborhood Plan</u> regarding primary and secondary access to the resort. Due to topography and other constraints, it is likely not feasible to develop an additional primary access serving the Big Mountain Resort. Allowances for secondary emergency access (mainly egress) is in place and should accommodate emergency situations that could potentially arise.

O The Wisconsin Avenue viaduct is the only grade-separated crossing of the BNSF rail facilities connecting downtown Whitefish to the northern neighborhoods of the city, to Iron Horse, and to Big Mountain.

This Transportation Plan recognizes the impact that having only one grade separated crossing of the BNSF rail facilities has on overall traffic flow. Different locations for additional crossings were modeled in **chapter** 3. It is recommended in the Transportation Plan to plan for an additional crossing near the theoretical extension of Kalner Lane (Cow Creek area). This will be a feasible location in that it will only cross one rail line and will benefit both existing and the future land uses towards the southeast and northeast parts of the community (reference projects MSN-6 and MSN-7 in **chapter 8**).

O Street standards should be "neighborhood sensitive" in much the same manner as land development regulations. Also, flexibility is needed in infill projects and in environmentally sensitive areas.

This Transportation Plan recognizes this desire and agrees with the neighborhood, local context street standards presented in the Growth Policy. They are reiterated in this Transportation Plan in **chapter 9**. It must be made clear, though, that for most local streets, the local government entity (in this case the City of Whitefish) has direct control over roadway geometry and function, and can therefore dictate roadway typical section appearance. For roadways that are generally collector and above (i.e. minor arterial, principal arterial, interstate), if the facilities are on the Federally adopted "urban aid system" then the roadway geometry is

Robert Peccia & Associates Page v

dictated by Montana Department of Transportation (MDT) roadway standards. This is an important point, because the MDT does utilize "urban design standards" for the various roadway types classified as collectors and above based on dialogue and consensus with many local Montana governments dating back to the early 1990's.

• Residential collectors should be designed to carry traffic efficiently, but also to control vehicle speeds through residential neighborhoods.

This Transportation Plan recognizes this concept and offers general guidance on types of traffic calming features that may be appropriate for the community to consider on various roadways. This guidance is contained in **chapter 7** of the Transportation Plan.

- O U.S. Hwy 93 runs through the middle of downtown, dividing it into a north half and south half at 2nd Street. A by-pass of some kind has long been discussed in the community, but transportation planning thus far has shown it to be infeasible.
- O The concept of a "by-pass" is not carried forward in this Transportation Plan. For a "by-pass" project to be justifiable, it must prove to be a substantial benefit under both present day and future conditions, and be weighted heavily against all impacts (i.e. environmental, financial, neighborhood sensitivity, etc.). A discussion of the effort made regarding a "by-pass" in this Transportation Plan is presented in **chapter 3**, and also summarized in **chapter 9**. The approved <u>US Highway 93 Somers to Whitefish West Final Environmental Impact Statement (FEIS)</u> concluded a potential "by-pass" to be unwarranted.

A few words must also be made about the concept of a bypass in the community. This Transportation Plan does not recommend the development of a bypass corridor to the existing US Highway 93 facility through the community. The concept of a bypass has historically been debated. Proponents of the bypass have stated that it will reduce overall traffic volumes in the downtown, detour high truck traffic and make the business district more "community oriented". Opponents of the bypass have stated that a bypass would never be built, would likely cause unacceptable environmental consequences and would be financially unattainable.

This Transportation Plan did examine a potential westerly bypass via a travel demand modeling exercise, and also has looked at other constraints associated with potential routes. These have been explained in **chapter 3** of this Transportation Plan. From a pure traffic analysis discussion, a bypass does not solve the <u>future</u> traffic issues examined out to the planning horizon (year 2030) along US Highway 93. Although proponents find this hard to believe, the fact is that if a bypass is to be considered as feasible, it must show <u>significant traffic reduction</u> to its parallel facility to warrant the expense and environmental consequences of its development. Travel demand modeling of the various bypass alternatives do not show a bypass as a "cure-all" to the future traffic issues associated with US Highway 93 traffic flow. The community of Whitefish is better served by strengthening the transportation grid system, providing additional east/west connectivity, and requiring roadway corridor development in vacant land <u>if and when</u> the land develops.

The recommended projects contained in **chapter 8** will all serve to contribute to a strong grid street system that will provide choices for the traveling public. This should be tempered with other transportation system improvements and policies, such as public transit and non-motorized facilities, that have been recommended elsewhere in this Transportation Plan.

Robert Peccia & Associates Page vi

It must be acknowledged that under current funding conditions, the focus should be on getting the most out of the existing transportation system. The bigger projects should come in parallel to private development requests (with some exceptions). Outside of the development realm, the following **opportunities** should be fully considered with each and every transportation project:

- Continue to make pedestrian and bicycle travel amenities a normal part of transportation system planning. There will of course be cases where non-motorized travel modes may not be feasible due to right-of-way constraints, topography, etc., but as a matter of practice every effort should be made to incorporate non-motorized facilities in planning activities.
- In newly developing areas, plan for a "grid" transportation system wherever possible.
- Continue to support transit activities wherever possible. Planning for the future with transit needs in developments, actively seeking out grants, and heightening awareness of the community's transit system can ensure that transit will not get "left behind" as the community goes forward with their transportation system.
- It is crucial to forge partnerships amongst all governmental jurisdictions as the future transportation system is created.

Regarding growth, it is intuitive that the connection between land use and transportation is of the utmost importance. The Whitefish area, and the Flathead Valley in general, is one of the fastest growing areas within Montana. Development patterns are aggressive, and potential land use changes estimated for this transportation planning exercise mimic those projections made for the *Whitefish Growth Policy*. Known and potential development projects were examined both within the planning study area boundary as well as outside the study area boundary. This was extremely important, since this becomes the input for the travel demand model that allows future traffic conditions to be developed and known. The model relies on future housing (dwelling units), "retail" employment (jobs), and "non-retail" employment (jobs).

The result of all of this combined residential and employment growth translates into additional traffic and higher demands on the transportation system. Traffic volume growth in the greater Whitefish area was projected using a computer traffic model. The model used current socioeconomic data and growth trends to project traffic volumes. These projected traffic volumes were used to help identify future traffic problems within the area.

This Plan also supports the concept of "traffic calming". Historically used as a response to transportation issues on local streets, traffic calming is increasingly being used in new street design to provide pedestrian amenities and ward off future problems associated with vehicle speeds and cut-thru traffic. The City of Whitefish has used certain forms of traffic calming (for example in the Creekwood neighborhood), and this Transportation Plan takes this subject one step further and presents a petition process by which a neighborhood can go forward with a traffic calming request. Also included are examples and guidelines for what types of traffic calming might be appropriate and when.

Robert Peccia & Associates Page vii

The analysis of the existing and future traffic conditions indicated a need for a variety of improvements in the area. These improvements are presented in two categories: <u>Transportation System Management (TSM)</u> improvements and <u>Major Street Network (MSN)</u> improvements (contained in **chapter 8**). A total of seven TSM projects are recommended, at an **estimated cost of about \$1,050,000**. The MSN projects focus on upgrading entire road corridors and the construction and/or rehabilitation of roadways. Twenty-one MSN improvements are recommended, at an **estimated cost of approximately \$61,040,000**. Future prioritization of projects presented in this document are at the discretion of the various governing authorities within the planning area.

Although this document is a tool that can be used to guide development of the transportation system in the future, local and state planners must continually re-evaluate the findings and recommendations in this document as growth is realized and development occurs. If higher than anticipated growth is realized in the community, or if growth occurs in areas not originally planned for, transportation needs may be different from those analyzed in this plan. An update and re-evaluation of this document should occur every five years, at a minimum, due to the explosive growth that is occurring within the community.

Lastly, tough decisions regarding allowable land use and associated mitigation measures will be in need of constant evaluation as the community grows. The potential for "growth management" areas could be quite feasible in the study area boundary, given the growth predicted and the inability of transportation infrastructure to keep up with the growth.

Robert Peccia & Associates Page viii

TABLE OF CONTENTS

ACKNOWLEDGEMENTS

EXECUTIVE SUMMARY

TABLE OF CONTENTS

DEFINITIONS / ACRONYMS

CHAPTER 1: INTRODUCTION AND BACKGROUND		1-1
1.1	PROJECT BACKGROUND	1-2
1.2	STUDY AREA	
1.3	TRANSPORTATION PLANNING, GOALS, OBJECTIVES AND POLICIES	1-6
_	L.3.1 Community "Transportation Related" Goals and Objectives	
	L.3.2 Goals	1-7
	L.3.3 Policies	
	1.3.4 Objectives (Recommended Actions)	
1.4	PREVIOUS TRANSPORTATION PLANNING EFFORTS	
1.5	PUBLIC INVOLVEMENT	
_	L.5.1 Summary of Program Components	
1.6	COORDINATION SUMMARY	1-12
CHAPTI	ER 2: EXISTING CONDITIONS	2-1
2.1	Introduction	2-1
2.2	EXISTING FUNCTIONAL CLASSIFICATIONS & STUDY ROADWAYS	2-1
2.3	EXISTING TRAFFIC VOLUMES	2-7
2.4	CORRIDOR FACILITY SIZE	2-7
2.5	EXISTING TRAFFIC SIGNAL SYSTEM	2-7
2.6	CRASH ANALYSIS	2-15
2.7	PAST TRANSPORTATION PLANNING PROJECTS	2-19
2.8	Non-Motorized Transportation Projects	
2.9	EXISTING INTERSECTION LEVELS OF SERVICE	
2	2.9.1 Signalized Intersections	
2	2.9.2 Unsignalized Intersections	
2.10	RECENT TRAFFIC IMPACT STUDIES (TIS'S)	2-35
CHAPTI	ER 3: TRAVEL DEMAND FORECASTING	3-1
3.1	SOCIOECONOMIC TRENDS	_
3.2	POPULATION AND EMPLOYMENT PROJECTIONS	_
3.3	ALLOCATION OF GROWTH WITHIN THE STUDY AREA	
3.4	COMMITTED TRANSPORTATION IMPROVEMENTS	
٥. ١	Committee Transfer of the North Control of the Cont	0 21

3.5	TRAFFIC MODEL DEVELOPMENT	3-21
3.6	Traffic Volume Projections	3-23
3.7	NETWORK ALTERNATIVES TEST RUN ANALYSIS	3-35
3.8	TRAFFIC MODEL DEVELOPMENT CONCLUSIONS	3-49
CHAPTI	ER 4: PROJECTED TRAFFIC CONDITIONS (2030)	4-1
4.1	PROJECTED CORRIDOR FACILITY SIZE VERSUS TRAFFIC VOLUME (2030)	
CHAPTI	ER 5: PROBLEM IDENTIFICATION	5-1
5.1	INTERSECTION LEVELS OF SERVICE	5-1
-	5.1.1 Signalized Intersections	
-	5.1.2 Unsignalized Intersections	
5.2	-	
Į	5.2.1 Advantages of Traffic Control Signals	5-6
	5.2.2 Disadvantages of Traffic Control Signals	
	5.2.3 Alternatives to Traffic Control Signals	
5.3	5.2.4 Possible Traffic Signalization Control in Whitefish	
5.4	CRASH ANALYSIS	
_	GROWTH POLICY ISSUES - TRANSPORTATION	
5.5	GROWTH POLICY ISSUES - TRANSPORTATION	3-11
CHAPTI	ER 6: SCHOOL TRANSPORTATION CONSIDERATIONS	6-1
6.1	IDENTIFICATION OF SCHOOL RELATED ISSUES	6-1
6.2	SAFE ROUTES TO SCHOOL PROGRAM	6-4
CHAPTI	ER 7: TRAFFIC CALMING	7-1
7.1	Purpose of Traffic Calming	7-1
7.2	HISTORY OF TRAFFIC CALMING	
7.3	Types of Traffic Calming Measures	
_	7.3.1 Passive Measures	
	7.3.2 Education and Enforcement	
	7.3.3 Signage and Pavement Marking	
	7.3.4 Vertical Deflection, Horizontal Deflection, and Obstruction	
7.4	TRAFFIC CALMING PROGRAM SUMMARY	
7.5	TRAFFIC CALMING TECHNIQUES APPLICABLE TO COLLECTORS AND MINOR ARTERIALS	
7.6	TRAFFIC CALMING NEEDS IN WHITEFISH	7-7
CHAPTI	ER 8: RECOMMENDED PROJECTS	8-1
8.1	RECOMMENDED TRANSPORTATION SYSTEM MANAGEMENT (TSM) IMPROVEMENTS	8-1
8.2	RECOMMENDED MAJOR STREET NETWORK (MSN) IMPROVEMENTS	
8.3	RECOMMENDED FUTURE MAJOR STREET NETWORK (FMSN) IMPROVEMENTS	
8.4	OTHER RECOMMENDED ROADWAY PROJECTS	
8.5	RECOMMENDED NON-MOTORIZED NETWORK IMPROVEMENTS	

CHAPTER 9: MISCELLANEOUS TRANSPORTATION SYSTEM CONSIDERATIONS9-			
9.1	ROADWAY TYPICAL SECTIONS	9-1	
9.2	TRANSIT PARTNESHIPS WITH EAGLE TRANSIT & GLACIER NATIONAL PARK (GNP)	9-5	
9.3	PUBLIC TRANSIT CONSIDERATIONS	9-6	
9.4	URBAN AND SECONDARY HIGHWAY DESIGNATIONS	9-7	
9.5	CORRIDOR PRESERVATION MEASURES	9-9	
9.6	TRANSPORTATION DEMAND MANAGEMENT (TDM)	9-11	
9.7	PAVEMENT PRESERVATION STARTEGIES	9-16	
9.8	US HIGHWAY 93 BYPASS DISCUSSION	9-19	
CHAPTE	R 10: FINANCIAL ANALYSIS	10-1	
10.1	FUNDING SOURCES	10-1	
10.2	FEDERAL AID FUNDING PROGRAMS	10-3	
10.3	STATE FUNDING SOURCES	10-14	
10.4	LOCAL FUNDING SOURCES	10-14	
10.5	CITY OF WHITEFISH	10-15	
10.6	FLATHEAD COUNTY	10-17	
10.7	PRIVATE FUNDING SOURCES AND ALTERNATIVES	10-18	
10.8	SUMMARY OF CURRENT FINANCIAL STATUS	10-20	

LIST OF TABLES

Table 1-1: Summary of POC & CAC Activities	1-12
Table 1-2: Summary of public outreach Activities	1-13
TABLE 2-1: OPTIMAL TRAFFIC VOLUME	
Table 2-2: Intersections with 10 or More Crashes in the Three-Year Period	2-16
Table 2-3: Intersection Crash Analysis – MDT Severity Index Rating	2-16
Table 2-4: Intersection Crash Analysis Crash Rate	2-16
Table 2-5: Past Area Transportation Planning Projects	
Table 2-6: Trails Listed in the Whitefish Bicycle and Pedestrian Master Plan	
TABLE 2-7: TRAILS NOT LISTED IN THE WHITEFISH BICYCLE AND PEDESTRIAN MASTER PLAN	2-26
Table 2-8: Level of Service Criteria (Signalized Intersections)	
Table 2-9: 2007 AM Peak LOS (Signalized Intersections)	
TABLE 2-10: 2007 PM PEAK LOS (SIGNALIZED INTERSECTIONS)	
Table 2-11: Level of Service Criteria (Stop Controlled Intersections)	
Table 2-12: 2007 LOS (Stop-Controlled Intersections)	
Table 2-13: Existing Intersections Functioning at LOS D or Lower	
Table 3-1: Flathead County Population and Employment Trends (1970-2005)	
Table 3-2: Whitefish Area Historic Population Trends (1970-2005)	
Table 3-3: Flathead County Resident Age Distribution (1970-2000)	
Table 3-4: Whitefish Resident Age Distribution (1980-2000)	
TABLE 3-5: FLATHEAD COUNTY EMPLOYMENT TRENDS BY ECONOMIC SECTOR (1970-2000)	
TABLE 3-6: CITY OF WHITEFISH EMPLOYMENT TRENDS BY ECONOMIC SECTOR (1980-2000)	
Table 3-7: Flathead County Population and Employment Projections (2005-2030)	
Table 3-8: Population Projections for the City of Whitefish / Jurisdictional Area	
Table 3-9: Roadways At or Above Capacity Level by 2030	
Table 3-10: Whitefish Alternative Scenarios	
Table 3-11: Alternative Scenario 1 (Western Route Alternative A)	
Table 3-12: Alternative Scenario 2 (Western Route Alternative B)	
Table 3-13: Alternative Scenario 3 (Western Route Alternative C)	
Table 3-14: Alternative Scenario 4 (Western Route Alternative D)	
Table 3-15: Alternative Scenario 5 (Baker Avenue Extension)	
Table 3-16: Alternative Scenario 6 (13 th Street Bridge)	
TABLE 3-17: ALTERNATIVE SCENARIO 7 (7 TH STREET EXTENSION)	
Table 3-18: Alternative Scenario 8 (Kalner Lane Extension)	3-43
Table 3-19: Alternative Scenario 9 (Texas/Columbia Railroad Crossing)	3-44
TABLE 3-20: ALTERNATIVE SCENARIO 10 (COW CREEK RAILROAD CROSSING)	
TABLE 3-21: ALTERNATIVE SCENARIO 11 (ARMORY ROAD EXTENSION)	
TABLE 3-22: ALTERNATIVE SCENARIO 12 (7 TH STREET BRIDGE)	
TABLE 3-23: ALTERNATIVE SCENARIO 13 (WISCONSIN AVENUE IMPROVEMENTS	
TABLE 3-24: ALTERNATIVE SCENARIO 14 (NE EXTENSION TO TEXAS AVE (A))	
TABLE 3-25: ALTERNATIVE SCENARIO 14 (NE EXTENSION TO TEXAS AVE (B))	
TABLE 3-26: ALTERNATIVE SCENARIO 15 (NE EXTENSION TO COW CREEK (A))	
TABLE 3-27: ALTERNATIVE SCENARIO 15 (NE EXTENSION TO COW CREEK (B))	
TABLE 4-1: APPROXIMATE VOLUMES FOR PLANNING OF FUTURE ROADWAY IMPROVEMENTS	
TABLE 4-2: V/C RATIOS & LOS DESIGNATIONS	
Table 4-3: Roadways Exceeding v/c Ratios of 1.0 by Year 2030	4-2

TABLE 5-2: 2007 AM PEAK LOS (SIGNALIZED INTERSECTIONS)	5-2
TABLE 5-3: 2007 PM PEAK LOS (SIGNALIZED INTERSECTIONS)	
TABLE 5-4: LEVEL OF SERVICE CRITERIA – STOP CONTROLLED INTERSECTIONS	
TABLE 5-5: 2007 LOS (STOP-CONTROLLED INTERSECTIONS)	5-4
Table 5-6: Existing Intersections Functioning at LOS D or Lower	5-4
TABLE 5-7: APPROXIMATE VOLUMES FOR PLANNING OF FUTURE ROADWAY IMPROVEMENTS	
TABLE 5-8: V/C RATIOS & LOS DESIGNATIONS	5-11
TABLE 7-1: TYPES OF TRAFFIC CALMING MEASURES	7-9
Table 8-1: Other Roadway Projects to Be Carried Forward	
TABLE 8-2: TRAILS LISTED IN THE WHITEFISH BICYCLE AND PEDESTRIAN MASTER PLAN	
TABLE 8-3: TRAILS NOT LISTED IN THE WHITEFISH BICYCLE AND PEDESTRIAN MASTER PLAN	
Table 10-1: Projected Funding Available for Transportation Projects	10-20
LIST OF FIGURES	
Figure 1-1: Study Area Boundary	
FIGURE 2-1: FEDERAL FUNCTIONAL CLASSIFICATION MAP	
FIGURE 2-2: FEDERAL FUNCTIONAL CLASSIFICATION MAP	
FIGURE 2-3: 2003 EXISTING AVERAGE DAILY TRAFFIC (ADT)	
FIGURE 2-4: 2003 EXISTING AVERAGE DAILY TRAFFIC (ADT)	
FIGURE 2-5: EXISTING CORRIDOR SIZE	
FIGURE 2-6: EXISTING CORRIDOR SIZE	
FIGURE 2-7: TRAFFIC SIGNAL SYSTEM MAP	
FIGURE 2-8: TRAFFIC SIGNAL SYSTEM MAP	
Figure 2-9: Crash Locations Figure 2-10: Crash Locations	
FIGURE 2-10. CRASH LOCATIONS	
FIGURE 2-11: PAST AREA TRANSPORTATION PLANNING PROJECTS	
FIGURE 2-12: PAST AREA TRANSPORTATION FLANNING PROJECTS	
FIGURE 2-14: Non-Motorized Transportation Facilities	
FIGURE 2-15: EXISTING LEVEL OF SERVICE	
FIGURE 2-16: EXISTING LEVEL OF SERVICE	
FIGURE 3-1: FLATHEAD COUNTY POPULATION & EMPLOYMENT	
FIGURE 3-2: WHITEFISH AREA HISTORIC POPULATION TRENDS (1970-2005)	
Figure 3-3: Flathead County Resident Age Distribution (1970-2000)	
Figure 3-4: Whitefish Resident Age Distribution (1970-2000)	
FIGURE 3-5: FLATHEAD COUNTY EMPLOYMENT TRENDS BY ECONOMIC SECTOR (1970-2000)	
FIGURE 3-6: FLATHEAD COUNTY EMPLOYMENT TRENDS BY NAIC SECTOR (2005)	
FIGURE 3-7: CITY OF WHITEFISH EMPLOYMENT TRENDS BY ECONOMIC SECTOR (1980-2000)	
FIGURE 3-8: CITY OF WHITEFISH EMPLOYMENT TRENDS BY NAID SECTOR (2002)	
Figure 3-9: Flathead County Population Projections	
FIGURE 3-10: FLATHEAD EMPLOYMENT POPULATION PROJECTIONS	
FIGURE 3-11: PROJECTED DWELLING UNITS (YEAR 2030)	
FIGURE 3-12: PROJECTED DWELLING UNITS (YEAR 2030)	
FIGURE 3-13: PROJECTED NON-RETAIL EMPLOYMENT (YEAR 2030)	

FIGURE 3-15: PROJECTED RETAIL EMPLOYMENT (YEAR 2030) 3-19 FIGURE 3-16: PROJECTED RETAIL EMPLOYMENT (YEAR 2030) 3-20 FIGURE 3-17: 2003 TRAFFIC VOLUMES 3-20 FIGURE 3-18: 2003 TRAFFIC VOLUMES 3-28 FIGURE 3-19: 2003 V/C RATIOS 3-29 FIGURE 3-20: 2003 V/C RATIOS 3-30 FIGURE 3-21: 2030 TRAFFIC VOLUMES 3-32 FIGURE 3-22: 2030 TRAFFIC VOLUMES 3-32 FIGURE 3-23: 2030 V/C RATIOS 3-32 FIGURE 3-24: 2030 V/C RATIOS 3-32 FIGURE 3-25: WHITEFISH ALTERNATIVE SCENARIOS 3-32 FIGURE 8-1: WHITEFISH RECOMMENDED STREET NETWORK IMPROVEMENTS 8-15 FIGURE 8-2: WHITEFISH BEACH CONCEPTUAL PLAN (SITE PLAN) 8-16 FIGURE 8-3: WHITEFISH BEACH CONCEPTUAL PLAN (TYPICAL SECTIONS) 8-17	FIGURE 3-14:	PROJECTED NON-RETAIL EMPLOYMENT (YEAR 2030)	3-18
FIGURE 3-17: 2003 TRAFFIC VOLUMES	FIGURE 3-15:	PROJECTED RETAIL EMPLOYMENT (YEAR 2030)	3-19
FIGURE 3-18: 2003 TRAFFIC VOLUMES	FIGURE 3-16:	PROJECTED RETAIL EMPLOYMENT (YEAR 2030)	3-20
FIGURE 3-19: 2003 V/C RATIOS 3-29 FIGURE 3-20: 2003 V/C RATIOS 3-30 FIGURE 3-21: 2030 TRAFFIC VOLUMES 3-32 FIGURE 3-22: 2030 TRAFFIC VOLUMES 3-32 FIGURE 3-23: 2030 V/C RATIOS 3-33 FIGURE 3-24: 2030 V/C RATIOS 3-34 FIGURE 3-25: Whitefish Alternative Scenarios 3-37 FIGURE 8-1: Whitefish Recommended Street Network Improvements 8-15 FIGURE 8-2: Whitefish Beach Conceptual Plan (Site Plan) 8-16	FIGURE 3-17:	2003 Traffic Volumes	3-27
FIGURE 3-20: 2003 V/C RATIOS 3-30 FIGURE 3-21: 2030 TRAFFIC VOLUMES 3-32 FIGURE 3-22: 2030 TRAFFIC VOLUMES 3-32 FIGURE 3-23: 2030 V/C RATIOS 3-33 FIGURE 3-24: 2030 V/C RATIOS 3-34 FIGURE 3-25: Whitefish Alternative Scenarios 3-37 FIGURE 8-1: Whitefish Recommended Street Network Improvements 8-15 FIGURE 8-2: Whitefish Beach Conceptual Plan (Site Plan) 8-16	FIGURE 3-18:	2003 Traffic Volumes	3-28
FIGURE 3-21: 2030 TRAFFIC VOLUMES	FIGURE 3-19:	2003 V/C RATIOS	3-29
FIGURE 3-22: 2030 TRAFFIC VOLUMES	FIGURE 3-20:	2003 V/C RATIOS	3-30
FIGURE 3-23: 2030 V/C RATIOS	FIGURE 3-21:	2030 Traffic Volumes	3-31
FIGURE 3-24: 2030 V/C RATIOS	FIGURE 3-22:	2030 Traffic Volumes	3-32
FIGURE 3-24: 2030 V/C RATIOS	FIGURE 3-23:	2030 V/C RATIOS	3-33
FIGURE 8-1: WHITEFISH RECOMMENDED STREET NETWORK IMPROVEMENTS			
FIGURE 8-2: WHITEFISH BEACH CONCEPTUAL PLAN (SITE PLAN)	FIGURE 3-25:	WHITEFISH ALTERNATIVE SCENARIOS	3-37
FIGURE 8-2: WHITEFISH BEACH CONCEPTUAL PLAN (SITE PLAN)	FIGURE 8-1: W	VHITEFISH RECOMMENDED STREET NETWORK IMPROVEMENTS	8-1 5
·			
		,	

DEFINITIONS / ACRONYMS

DEFINITIONS

Access Management/Control – Controlling or limiting the types of access or the locations of access on major roadways to help improve the carrying capacity of a roadway, reduce potential conflicts, and facilitate proper land usage.

Average Daily Traffic (ADT) – The total amount of traffic observed, counted or estimated during a single, 24-hour period.

Annual Average Daily Traffic (AADT) – The average daily traffic averaged over a full year.

Americans with Disabilities Act (ADA) – The Federal regulations which govern minimum requirements for ensuring that transportation facilities and buildings are accessible to individuals with disabilities.

Bikeway - Any road, path, or way which in some manner is specifically designated as being open to bicycle travel, regardless of whether such facilities are designated for the exclusive use of bicycles or are to be shared with other transportation modes.

Bike Path - A bikeway physically separated from motorized vehicular traffic by an open space or barrier and either within the highway right of way or within an independent right of way.

Bike Lane – a portion of a roadway which has been designated by striping, signing and pavement markings for the preferential or exclusive use of bicyclists.

Bike Route – A segment of a system of bikeways designated by the jurisdiction having authority with appropriate directional and informational markers, with or without a specific bicycle route number.

Capacity – The maximum sustainable flow rate at which vehicles can be expected to traverse a roadway during a specific time period given roadway, geometric, traffic, environmental, and control conditions. Capacity is usually expressed in vehicles per day (vpd) or vehicles per hour (vph).

Collector Street – Provides for land access and traffic circulation within and between residential neighborhoods, and commercial and industrial areas. It provides for the equal priority of the movement of traffic, coupled with access to residential, business and industrial areas. A collector roadway may at times traverse residential neighborhoods. Collectors are generally defined as Urban Collectors or Rural Minor/Major Collectors. <u>Urban Collectors</u> provides a channel for local street traffic to access arterials. <u>Rural Major Collectors</u> serves important travel generators (i.e. County Seats, consolidated schools, etc.) while <u>Rural Minor Collectors</u> provide land use access and are spaced at intervals consistent with population density. Posted speed limits on collectors typically range from 25 mph to 45 mph.

Congested Flow - A traffic flow condition caused by a downstream bottleneck unable to pass through unsignalized intersections.

Robert Peccia & Associates Page xv

Context Sensitive Design (CSD) - A fairly new concept in transportation planning and highway design that integrates transportation infrastructure improvements to the context of the adjacent land uses and functions, with a greater sensitivity to transportation impacts on the environment and communities being realized.

Delay - The amount of time spent not moving due to a traffic signal being red, or being unable to pass through an unsignalized intersection.

Facility – A length of highway composed of connected section, segments, and points.

Level of Service (LOS) - A qualitative measure of how well an intersection or road segment is operating based on traffic volume and geometric conditions. The level of service "scale" represents the full range of operating conditions. The scale is based on the ability of an intersection or street segment to accommodate the amount of traffic using it, and can be used for both existing and projected conditions. The scale ranges from "A" which indicates little, if any, vehicle delay, to "F" which indicates significant vehicle delay and traffic congestion.

Local Street – Comprises all facilities not included in a higher system. Its primary purpose is to permit direct access to abutting lands and connections to higher systems. Usually through-traffic movements are intentionally discouraged. Local streets can be defined as either Urban or Rural. <u>Urban Local Streets</u> are all remaining streets in an urban area that link to higher classifications. <u>Rural Local Streets</u> are all remaining streets outside the urban areas that provide access to adjacent land. Posted speed limits on local roads typically range from 25 mph to 35 mph.

Major Street Network (MSN) – The network of roadways defined for the Transportation Plan effort that include the interstate, principal arterials, minor arterials, collectors and some local streets.

Minor Arterial Street – Interconnects with and augments the Principal Arterial system. It also provides access to lower classifications of roads on the system and may allow for traffic to directly access destinations. They provide for movement within sub-areas of the city, whose boundaries are largely defined by the Principal Arterial road system. They serve through traffic, while at the same time providing direct access for commercial, industrial, office and multifamily development but, generally, not for single-family residential properties. The purpose of this classification of road is to increase traffic mobility by connecting to both the Principal Arterial system and also providing access to adjacent land uses. Minor Arterials are generally defines as either Urban Minor Arterials or Rural Minor Arterials. Urban Minor Arterials interconnect with Urban Principal Arterials. Rural Minor Arterials link cities and larger towns and interconnects the network of arterial highways. Posted speed limits on minor arterials typically range from 25 mph to 55 mph.

Multi-modal – A transportation facility for different types of users or vehicles, including passenger cars and trucks, transit vehicles, bicycles, and pedestrians.

Oversaturation – A traffic condition in which the arrival flow rate exceeds capacity on a roadway lane or segment.

Peak Hour – The hour of greatest traffic flow at an intersection or on a road segment. Typically broken down into AM and PM peak hours.

Robert Peccia & Associates Page xvi

Road Failure – A condition by which a road has reached maximum capacity or has experienced structural failure.

Principal Arterial Street – Is the basic element of a city's road system. All other functional classifications supplement the Principal Arterial network. Access to a Principal Arterial is generally limited to intersections with other principal arterials or to the interstate system. Direct access is minimal and controlled. Principal Arterials are generally defined as either Urban Principal Arterials or Rural Principal Arterials. Urban Principal Arterials serve the major centers of activity, the highest traffic volume corridors, and the longest trip distances in an urbanized area. This classification of roads carries a high proportion of the total traffic within an urban area. Rural Principal Arterials serve as the predominant route between major activity centers, have long trip distances, experience heavy travel densities and provide service to most large urban areas. The major purpose of Principal Arterials is to provide for the expedient movement of traffic. Posted speed limits on principal arterials typically range from 25 mph to 70 mph.

Running speed - The actual vehicle speed while the vehicle is in motion (travel speed minus delay).

Service Life – The design life span of roadway based on capacity or physical characteristics.

Project Oversight Committee (POC) – The oversight committee that guided the development of this Transportation Plan. The committee is comprised of 7 members and includes representatives from the City of Whitefish, the Montana Department of Transportation (MDT), and the Federal Highway Administration (FHWA). The committee is not a standing committee in the community and was set up to oversee this project's development only.

Transportation Analysis Zone (TAZ) – Geographical zones identified throughout the study area based on land use characteristics and natural physical features for use in the traffic model developed for this project.

Transportation Demand Management (TDM) - Programs designed to maximize the people-moving capability of the transportation system by increasing the number of persons in a vehicle, or by influencing the time of, or need to, travel.

Travel speed - The speed at which a vehicle travels between two points including all intersection delay.

Volume to Capacity (V/C) Ratio – A qualitative measure comparing a roads theoretical maximum capacity to the existing (or future) volumes. Commonly described as the result of the flow rate of a roadway lane divided by the capacity of the roadway lane.

Robert Peccia & Associates Page xvii

ACRONYMS

AASHTO American Association of State Highway and Transportation Officials

CAC Citizen Advisory Committee
CFR Code of Federal Regulations
CIP Capital Improvement Program
FAA Federal Aviation Administration
FHWA Federal Highway Administration
HCM Highway Capacity Manual
HCS Highway Capacity Software

ISTEA Intermodal Surface Transportation Efficiency Act

ITE Institute of Transportation Engineers
 MDT Montana Department of Transportation
 MUTCD Manual on Uniform Traffic Control Devices

NEPA National Environmental Policy Act
POC Project Oversight Committee

TEA-21 Transportation Efficiency Act for the 21st Century

SAFETEA-LU Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy

for Users

Robert Peccia & Associates Page xviii